

HANWHA XD26II-V

Kind : Swiss-type cnc lathe
Manufacturer : HANWHA
Model : XD26II-V
Year : 2021
Serial : XV-26II-DW-0090-NH
Stock : 10593



TECHNICAL DETAILS

- Number of axes	: 8
- Number of spindles	: 2
MAIN SPINDLE	
- Max. bar diameter	: 26 [mm]
- Travel	: 210 [mm]
- Spindle speeds	: 8.000 [rpm]
- Spindle power	: 2.2 / 5.5 [kW]
- C axis indexing precision	: 0,001 [°]
COUNTER-SPINDLE	
- Max. bar diameter	: 26 [mm]
- Spindle speeds	: 8.000 [rpm]
- Spindle power	: 2,2 / 3.7 [kW]
- C axis indexing precision	: 0,001 [°]
GUIDE BUSH HOLDER 1	
- Number of positions	: 10
- Number of motorized positions	: 5
- Live tools speed	: 6.000 [rpm]
- Live tools power	: 1 [kW]
END ATTACHMENT	
- Number of positions	: 5 + 2
- Number of motorized positions	: 2
- Live tools speed	: 6.000 [rpm]
- Live tools power	: 1 [kW]
SECONDARY OPERATION	
- Number of positions	: 8

Kind : Swiss-type cnc lathe
Manufacturer : HANWHA
Model : XD26II-V
Year : 2021
Serial : XV-26II-DW-0090-NH
Stock : 10593

- Number of motorized positions : 4
- Live tools speed : 6.000 [rpm]
- Live tools power : 1 [kW]

POWER SUPPLY

- Supply voltage : 220 [V]
- Total installed power : 15 [kVA]

WEIGHT & DIMENSIONS

- Machine floor space : 2460 x 1380 [mm]
- Machine height : 1730 [mm]
- Machine weight : 2.900 [kg]

EQUIPMENT

- CNC : Fanuc 32i Model B
- 3 colors status lamp
- Rotating guide bush
- Ejection of workpiece
- Parts catcher
- Parts conveying strip
- Chips conveyor
- Coolant tank
* with high-pressure pump : BÜCHELE SFB-201 / 65 [bars]
- Bar loader : FMB TURBO RS 3-38
- Workpiece unloading robot
- Electric transformer